

LESEN PENSIJILAN BARANGAN

Product Certification Licence



SIRIM



ACB 001



SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada
SIRIM QAS International Sdn. Bhd. hereby grants to

SIAM YAMATO STEEL CO., LTD
9/9 SOI G-5, PAKONGSONGKHORAT ROAD
HUAIPONG, MUEANG
RAYONG
21150, THAILAND

Lesen untuk menggunakan Tanda Pensijilan di atas barangan
a licence to use the Certification Mark on

HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL

Please refer to detail in the **SCHEDULE**

sebagai mematuhi keperluan
as complying with

MS EN 10025-2 : 2011



Ts. Md. Adha bin Katni @ Rahmat
Pemangku Ketua Pegawai Eksekutif
Acting Chief Executive Officer
SIRIM QAS International Sdn. Bhd.



SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Email : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 12 July 2013

Certified Since

Sah Sehingga : 12 July 2026

Valid Until

Tarikh Dikeluarkan : 03 July 2025

Issue Date

No Siri : 113105

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

SIAM YAMATO STEEL CO., LTD



Trade Mark : SYS
Model : STEEL NAME : STRUCTURAL STEEL = S275, S355
Rating : QUALITY DESIGNATION = JR, J0, J2 ; DELIVERY CONDITION = +AR
Type : UNIVERSAL BEAMS (UB)
Size : DESIGNATION (mm X mm X kg/m) = 203 X 102 X 15 , 203 X 102 X 23 , 203 X 133 X 25 , 203 X 133 X 30 , 254 X 102 X 22 , 254 X 102 X 25 , 254 X 102 X 28 , 254 X 146 X 31 , 254 X 146 X 37 , 254 X 146 X 43 , 305 X 102 X 25 , 305 X 102 X 28 , 305 X 102 X 33 , 305 X 165 X 40 , 305 X 165 X 46 , 305 X 165 X 54 , 356 X 171 X 45 , 356 X 171 X 51 , 356 X 171 X 57 , 356 X 171 X 67



Trade Mark : SYS
Model : STEEL NAME : STRUCTURAL STEEL = S275, S355
Rating : QUALITY DESIGNATION = JR, J0, J2 ; DELIVERY CONDITION = +AR
Type : UNIVERSAL COLUMNS (UC)
Size : DESIGNATION (mm X mm X kg/m) = 152 X 152 X 23 , 152 X 152 X 30 , 152 X 152 X 37 , 203 X 203 X 46 , 203 X 203 X 52 , 203 X 203 X 60



Trade Mark : SYS
Model : STEEL NAME : STRUCTURAL STEEL = S275, S355
Rating : QUALITY DESIGNATION = JR, J0, J2 ; DELIVERY CONDITION = +AR
Type : UNIVERSAL BEARING PILES (UBP)
Size : DESIGNATION (mm X mm X kg/m) = 203 X 203 X 45 , 203 X 203 X 54

Trade Mark : SYS
Model : STEEL NAME : STRUCTURAL STEEL = S275, S355
Rating : QUALITY DESIGNATION = JR, J0, J2 ; DELIVERY CONDITION = +AR
Type : W-SHAPES
Size : DESIGNATION (mm X mm X kg/m) = 102 X 102 X 19.3 , 127 X 127 X 23.8 , 127 X 127 X 28.1 , 152 X 102 X 13.5 , 152 X 102 X 18 , 152 X 102 X 24 , 152 X 152 X 22.5 , 152 X 152 X 29.8 , 203 X 102 X 19.3 , 203 X 102 X 22.5 , 203 X 133 X 26.6 , 203 X 133 X 31.3 , 203 X 203 X 46.1 , 203 X 203 X 52 , 203 X 203 X 59 , 254 X 102 X 17.9 , 254 X 102 X 22.3 , 254 X 102 X 25.3 , 254 X 102 X 28.4 , 254 X 146 X 32.7 , 254 X 146 X 38.5 , 254 X 146 X 44.8 , 254 X 203 X 49.1 , 254 X 203 X 58 , 254 X 203 X 67 , 305 X 102 X 21 , 305 X 102 X 23.8 , 305 X 102 X 28.3 , 305 X 102 X 32.7 , 305 X 165 X 38.7 , 305 X 165 X 44.5 , 305 X 165 X 52 , 356 X 171 X 44 , 356 X 171 X 51 , 356 X 171 X 57.8

Trade Mark : SYS
Model : STEEL NAME : STRUCTURAL STEEL = S275, S355
Rating : QUALITY DESIGNATION = JR, J0, J2 ; DELIVERY CONDITION = +AR
Type : H-PILES
Size : DESIGNATION (mm X mm X kg/m) = 203 X 203 X 53

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Email : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 12 July 2013

Certified Since

Sah Sehingga : 12 July 2026

Valid Until

Tarikh Dikeluarkan : 03 July 2025

Issue Date

No Siri : 113105

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

SIAM YAMATO STEEL CO., LTD



Trade Mark : SYS
 Model : STEEL NAME : STRUCTURAL STEEL = S275, S355
 Rating : QUALITY DESIGNATION = JR, J0, J2 ; DELIVERY CONDITION = +AR
 Type : H-BEAMS
 Size : DESIGNATION (mm X mm X kg/m) = 100 X 50 X 9.3 , 100 X 100 X 16.9 , 100 X 100 X 17.2 , 125 X 125 X 23.6 , 125 X 125 X 23.8 , 148 X 100 X 20.7 , 148 X 100 X 21.1 , 150 X 75 X 14 , 150 X 100 X 20.7 , 150 X 100 X 21.1 , 150 X 150 X 31.1 , 150 X 150 X 31.5 , 175 X 175 X 40.2 , 175 X 175 X 40.4 , 194 X 150 X 29.9 , 194 X 150 X 30.6 , 198 X 99 X 17.8 , 198 X 99 X 18.2 , 200 X 100 X 17.8 , 200 X 100 X 18.2 , 200 X 100 X 20.9 , 200 X 100 X 21.3 , 200 X 150 X 29.9 , 200 X 150 X 30.6 , 200 X 200 X 49.9 , 200 X 200 X 56.2 , 200 X 200 X 65.7 , 203 X 165 X 35.9 , 203 X 165 X 41.7 , 208 X 202 X 65.7 , 244 X 175 X 43.6

Size : 244 X 175 X 44.1 , 244 X 252 X 64.4 , 248 X 124 X 25.1 , 248 X 124 X 25.7 , 248 X 249 X 66.5 , 250 X 125 X 25.1 , 250 X 125 X 25.7 , 250 X 125 X 29 , 250 X 125 X 29.6 , 250 X 175 X 43.6 , 250 X 175 X 44.1 , 250 X 250 X 64.4 , 250 X 250 X 66.5 , 250 X 250 X 71.8 , 250 X 250 X 72.4 , 250 X 255 X 81.6 , 250 X 250 X 82.2 , 250 X 255 X 82.2 , 294 X 200 X 55.8 , 294 X 200 X 56.8 , 298 X 149 X 32.0 , 298 X 201 X 65.4 , 300 X 150 X 32.0 , 300 X 150 X 36.7 , 300 X 200 X 55.8 , 300 X 200 X 56.8 , 300 X 200 X 65.4 , 346 X 174 X 41.2 , 346 X 174 X 41.4 , 350 X 175 X 41.2 , 350 X 175 X 41.4 , 350 X 175 X 49.4

Trade Mark : SYS
 Model : STEEL NAME : STRUCTURAL STEEL = S275, S355
 Rating : QUALITY DESIGNATION = JR, J0, J2 ; DELIVERY CONDITION = +AR
 Type : H-BEAMS
 Size : DESIGNATION (mm X mm X mm X mm) = 100 X 50 X 5 X 7 , 100 X 100 X 6 X 8 , 125 X 125 X 6.5 X 9 , 148 X 100 X 6 X 9 , 150 X 75 X 5 X 7 , 150 X 100 X 6 X 9 , 150 X 150 X 7 X 10 , 175 X 175 X 7.5 X 11 , 194 X 150 X 6 X 9 , 198 X 99 X 4.5 X 7 , 200 X 100 X 4.5 X 7 , 200 X 100 X 5.5 X 8 , 200 X 150 X 6 X 9 , 200 X 200 X 8 X 12 , 200 X 200 X 10 X 16 , 200 X 200 X 12 X 12 , 200 X 204 X 12 X 12 , 208 X 202 X 10 X 16 , 244 X 175 X 7 X 11 , 244 X 252 X 11 X 11 , 248 X 124 X 5 X 8 , 248 X 249 X 8 X 13 , 250 X 125 X 5 X 8 , 250 X 125 X 6 X 9 , 250 X 175 X 7 X 11 , 250 X 250 X 8 X 13 , 250 X 250 X 9 X 14

Size : 250 X 250 X 11 X 11 , 250 X 250 X 14 X 14 , 250 X 255 X 14 X 14 , 294 X 200 X 8 X 12 , 298 X 149 X 5.5 X 8 , 298 X 201 X 9 X 14 , 300 X 150 X 5.5 X 8 , 300 X 150 X 6.5 X 9 , 300 X 200 X 8 X 12 , 300 X 200 X 9 X 14 , 346 X 174 X 6 X 9 , 350 X 175 X 6 X 9 , 350 X 175 X 7 X 11 , 350 X 175 X 8 X 13 , 354 X 176 X 8 X 13

SIRIM QAS International Sdn. Bhd.
 (No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
 Seksyen 2, Peti Surat 7035
 40700 Shah Alam
 Selangor Darul Ehsan
 MALAYSIA.

Tel : 603-5544 6000
 Emeil : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 12 July 2013

Certified Since

Sah Sehingga : 12 July 2026

Valid Until

Tarikh Dikeluarkan : 03 July 2025

Issue Date

No Siri : 113105

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
 This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

SIAM YAMATO STEEL CO., LTD



Trade Mark : SYS
Model : STEEL NAME : STRUCTURAL STEEL = S275, S355
Rating : QUALITY DESIGNATION = JR, J0, J2 ; DELIVERY CONDITION = +AR
Type : UNIVERSAL COLUMNS (UC)
Size : DESIGNATION (inch X inch X lb/ft) = 6" X 6" X 16 , 6" X 6" X 20 , 6" X 6" X 25 , 8" X 8" X 31 , 8" X 8" X 35 , 8" X 8" X 40



Trade Mark : SYS
Model : STEEL NAME : STRUCTURAL STEEL = S275, S355
Rating : QUALITY DESIGNATION = JR, J0, J2 ; DELIVERY CONDITION = +AR
Type : UNIVERSAL BEARING PILES (UBP)
Size : DESIGNATION (inch X inch X lb/ft) = 8" X 8" X 30 , 8" X 8" X 36



Trade Mark : SYS
Model : STEEL NAME : STRUCTURAL STEEL = S275, S355
Rating : QUALITY DESIGNATION = JR, J0, J2 ; DELIVERY CONDITION = +AR
Type : W-SHAPES
Size : DESIGNATION (inch X inch X lb/ft) = 4" X 4" X 13 , 5" X 5" X 16 , 5" X 5" X 19 , 6" X 4" X 9 , 6" X 4" X 12 , 6" X 4" X 16 , 6" X 6" X 15 , 6" X 6" X 20 , 6" X 6" X 25 , 8" X 4" X 10 , 8" X 4" X 13 , 8" X 4" X 15 , 8" X 5" 1/4 X 18 , 8" X 5" 1/4 X 21 , 8" X 8" X 31 , 8" X 8" X 35 , 8" X 8" X 40 , 8" X 8" X 48 , 8" X 8" X 58 , 8" X 8" X 67 , 10" X 4" X 12

Size : 10" X 4" X 15 , 10" X 4" X 17 , 10" X 4" X 19 , 10" X 5" 3/4 X 22 , 10" X 5" 3/4 X 26 , 10" X 5" 3/4 X 30 , 12" X 4" X 14 , 12" X 4" X 16 , 12" X 4" X 19 , 12" X 4" X 22 , 12" X 6" 1/2 X 26 , 12" X 6" 1/2 X 30 , 12" X 6" 1/2 X 35 , 14" X 6 3/4" X 30 , 14" X 6 3/4" X 34 , 14" X 6 3/4" X 38 , 12" X 8" X 40 , 12" X 8" X 45 , 12" X 8" X 50 , 14" X 5" X 22 , 14" X 5" X 26

Trade Mark : SYS
Model : STEEL NAME : STRUCTURAL STEEL = S275, S355
Rating : QUALITY DESIGNATION = JR, J0, J2 ; DELIVERY CONDITION = +AR
Type : H-PILE
Size : DESIGNATION (inch X inch X lb/ft) = 8" X 8" X 36

Trade Mark : SYS
Model : STEEL NAME : STRUCTURAL STEEL = S275, S355
Rating : QUALITY DESIGNATION = JR, J0, J2 ; DELIVERY CONDITION = +AR
Type : UNIVERSAL BEAMS (UB)
Size : DESIGNATION (mm UB X kg/m) = 150 UB X 14 , 150 UB X 18 , 180 UB X 16.1 , 180 UB X 18.1 , 180 UB X 22.2 , 200 UB X 18.2 , 200 UB X 22.3 , 200 UB X 25.4 , 200 UB X 29.8 , 250 UB X 25.7 , 250 UB X 31.4 , 250 UB X 37.3 , 310 UB X 32 , 310 UB X 40.4 , 310 UB X 46.2 , 360 UB X 44.7 , 360 UB X 50.7 , 360 UB 56.7

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Email : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 12 July 2013

Certified Since

Sah Sehingga : 12 July 2026

Valid Until

Tarikh Dikeluarkan : 03 July 2025

Issue Date

No Siri : 113105

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

SIAM YAMATO STEEL CO., LTD



Trade Mark : SYS
Model : STEEL NAME : STRUCTURAL STEEL = S275, S355
Rating : QUALITY DESIGNATION = JR, J0, J2 ; DELIVERY CONDITION = +AR
Type : UNIVERSAL COLUMNS (UC)
Size : DESIGNATION (mm UC X kg/m) = 100 UC X 14.8 , 150 UC X 23.4 , 150 UC X 30 , 150 UC X 37.2 , 200 UC X 46.2 , 200 UC X 52.2 , 200 UC X 59.5



Trade Mark : SYS
Model : STEEL NAME : STRUCTURAL STEEL = S275, S355
Rating : QUALITY DESIGNATION = JR, J0, J2 ; DELIVERY CONDITION = +AR
Type : H-BEAMS
Size : DESIGNATION (HE mm A X kg/m) = HE 100 A X 16.7 , HE 160 A X 30.4 , HE 180 A X 35.5 , HE 200 A X 42.3 , HE 220 A X 50.5



Trade Mark : SYS
Model : STEEL NAME : STRUCTURAL STEEL = S275, S355
Rating : QUALITY DESIGNATION = JR, J0, J2 ; DELIVERY CONDITION = +AR
Type : H-BEAMS
Size : DESIGNATION (HE mm B X kg/m) = HE 100 B X 20.4, HE 160 B X 42.6 , HE 180 B X 51.2 , HE 200 B X 61.3 , HE 220 B X 71.5

Trade Mark : SYS
Model : STEEL NAME : STRUCTURAL STEEL = S275, S355
Rating : QUALITY DESIGNATION = JR, J0, J2 ; DELIVERY CONDITION = +AR
Type : H-BEAMS
Size : DESIGNATION (IPE mm X kg/m) = IPE 100 X 8.1 , IPE 180 X 18.8 , IPE 200 X 22.4 , IPE 240 X 30.7 , IPE 270 X 36.1 , IPE 300 X 42.2 , IPE 330 X 49.1

Trade Mark : SYS
Model : STEEL NAME : STRUCTURAL STEEL = S275, S355
Rating : QUALITY DESIGNATION = JR, J0, J2 ; DELIVERY CONDITION = +AR
Type : H-BEAMS
Size : DESIGNATION (IPEA mm X kg/m) = IPEA 100 X 6.9 , IPEA 180 X 15.4 , IPEA 200 X 18.4 , IPEA 300 X 36.5

Trade Mark : SYS
Model : STEEL NAME : STRUCTURAL STEEL = S275, S355
Rating : QUALITY DESIGNATION = JR, J0, J2 ; DELIVERY CONDITION = +AR
Type : H-BEAMS
Size : DESIGNATION (IPEAA mm X kg/m) = IPEAA 100 X 6.7 , IPEAA 180 X 14.9 , IPEAA 200 X 18

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Email : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 12 July 2013

Certified Since

Sah Sehingga : 12 July 2026

Valid Until

Tarikh Dikeluarkan : 03 July 2025

Issue Date

No Siri : 113105

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

SIAM YAMATO STEEL CO., LTD



Trade Mark : SYS
Model : STEEL NAME : STRUCTURAL STEEL = S275, S355
Rating : QUALITY DESIGNATION = JR, J0, J2 ; DELIVERY CONDITION = +AR
Type : PARALLEL FLANGE CHANNELS (PFC)
Size : DESIGNATION (mm PFC X kg/m) = 150 PFC X 17.7 , 150 PFC X 17.9 , 150 PFC X 18 , 180 PFC X 20 , 180 PFC X 20.3 , 180 PFC X 20.9 , 200 PFC X 22.9 , 200 PFC X 23 , 200 PFC X 23.4 , 230 PFC X 25.1 , 230 PFC X 25.7 , 230 PFC X 26



Trade Mark : SYS
Model : STEEL NAME : STRUCTURAL STEEL = S275, S355
Rating : QUALITY DESIGNATION = JR, J0, J2 ; DELIVERY CONDITION = +AR
Type : CHANNELS
Size : DESIGNATION (mm X mm X kg/m) = 100 X 50 X 9.36, 125 X 65 X 13.4 , 150 X 75 X 18.6 , 150 X 75 X 24 , 180 X 75 X 21.4 , 200 X 80 X 24.6 , 200 X 90 X 30.3



Trade Mark : SYS
Model : STEEL NAME : STRUCTURAL STEEL = S275, S355
Rating : QUALITY DESIGNATION = JR, J0, J2 ; DELIVERY CONDITION = +AR
Type : EQUAL ANGLE
Size : DESIGNATION (mm X mm X mm) = 100 X 100 X 7 , 100 X 100 X 8 , 100 X 100 X 10 , 100 X 100 X 12 , 100 X 100 X 13 , 120 X 120 X 8 , 120 X 120 X 10 , 130 X 130 X 9 , 130 X 130 X 12 , 130 X 130 X 15 , 150 X 150 X 12 , 150 X 150 X 15 , 150 X 150 X 19 , 152 X 152 X 11.1 , 152 X 152 X 12.7 , 152 X 152 X 14.3 , 152 X 152 X 15.9 , 152 X 152 X 19.0 , 152 X 152 X 22.2

Trade Mark : SYS
Model : STEEL NAME : STRUCTURAL STEEL = S275, S355
Rating : QUALITY DESIGNATION = JR, J0, J2 ; DELIVERY CONDITION = +AR
Type : EQUAL ANGLE
Size : DESIGNATION (mm X mm X kg/m) = 100 X 100 X 10.7 , 100 X 100 X 12.2 , 100 X 100 X 14.9 , 100 X 100 X 17.8 , 100 X 100 X 19.1 , 120 X 120 X 14.7 , 120 X 120 X 18.2 , 130 X 130 X 17.9 , 130 X 130 X 23.4 , 130 X 130 X 23.6 , 130 X 130 X 28.8 , 150 X 150 X 27.3 , 150 X 150 X 33.6 , 150 X 150 X 33.8 , 150 X 150 X 41.9 , 152 X 152 X 25.6 , 152 X 152 X 29.2 , 152 X 152 X 32.6 , 152 X 152 X 36.0 , 152 X 152 X 42.7 , 152 X 152 X 49.3

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Email : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 12 July 2013

Certified Since

Sah Sehingga : 12 July 2026

Valid Until

Tarikh Dikeluarkan : 03 July 2025

Issue Date

No Siri : 113105

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

SIAM YAMATO STEEL CO., LTD



Trade Mark : SYS
Model : STEEL NAME : STRUCTURAL STEEL = S275, S355
Rating : QUALITY DESIGNATION = JR, J0, J2 ; DELIVERY CONDITION = +AR
Type : EQUAL ANGLE
Size : DESIGNATION (mm X mm X mm X kg/m) = 100 X 100 X 7 X 10.7 , 100 X 100 X 8 X 12.2 , 100 X 100 X 10 X 14.9 , 100 X 100 X 12 X 17.8 , 100 X 100 X 13 X 19.1 , 120 X 120 X 8 X 14.7 , 120 X 120 X 12 X 21.6 , 120 X 120 X 10 X 18.2 , 130 X 130 X 9 X 17.9 , 130 X 130 X 12 X 23.4 , 130 X 130 X 12 X 23.6 , 130 X 130 X 15 X 28.8 , 150 X 150 X 12 X 27.3 , 150 X 150 X 15 X 33.6 , 150 X 150 X 15 X 33.8 , 150 X 150 X 19 X 41.9 , 152 X 152 X 11.1 X 25.6 , 152 X 152 X 12.7 X 29.2 , 152 X 152 X 14.3 X 32.6 , 152 X 152 X 15.9 X 36.0 , 152 X 152 X 19.0 X 42.7 , 152 X 152 X 22.2 X 49.3



ACB 001



Trade Mark : SYS
Model : STEEL NAME : STRUCTURAL STEEL = S275, S355
Rating : QUALITY DESIGNATION = JR, J0, J2 ; DELIVERY CONDITION = +AR
Type : EQUAL ANGLE
Size : DESIGNATION (inch X inch X lb/ft) = 6" X 6" X 17.2 , 6" X 6" X 19.6 , 6" X 6" X 21.9 , 6" X 6" X 24.2 , 6" X 6" X 28.7 , 6" X 6" X 33.1

Trade Mark : SYS
Model : STEEL NAME : STRUCTURAL STEEL = S275, S355
Rating : QUALITY DESIGNATION = JR, J0, J2 ; DELIVERY CONDITION = +AR
Type : CUT BEAM
Size : DESIGNATION (mm X mm X kg/m) = 50 X 50 X 4.7 , 50 X 100 X 8.6 , 62.5 X 125 X 11.9 , 75 X 75 X 7 , 75 X 100 X 10.55 , 75 X 150 X 15.75 , 87.5 X 175 X 20.1 , 100 X 100 X 9.1 , 100 X 100 X 10.65 , 100 X 150 X 15.3 , 100 X 200 X 24.95 , 100 X 200 X 28.1 , 100 X 200 X 32.85 , 125 X 125 X 12.85 , 125 X 125 X 14.8 , 125 X 175 X 22.05 , 125 X 250 X 32.2 , 125 X 250 X 33.25 , 125 X 250 X 36.2 , 125 X 250 X 41.1 , 150 X 150 X 16 , 150 X 150 X 18.35 , 150 X 200 X 28.4 , 150 X 200 X 32.7 , 175 X 175 X 20.7 , 175 X 175 X 24.8 , 175 X 175 X 28.9

Trade Mark : SYS
Model : STEEL NAME : STRUCTURAL STEEL = S275, S355
Rating : QUALITY DESIGNATION = JR, J0, J2 ; DELIVERY CONDITION = +AR
Type : H-BEAMS
Size : DESIGNATION (mm X mm X kg/m) = 350 X 175 X 57.8 , 354 X 176 X 57.8

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Email : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 12 July 2013

Certified Since

Sah Sehingga : 12 July 2026

Valid Until

Tarikh Dikeluarkan : 03 July 2025

Issue Date

No Siri : 113105

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

SIAM YAMATO STEEL CO., LTD



Trade Mark : SYS
Model : STEEL NAME : STRUCTURAL STEEL = S275, S355
Rating : QUALITY DESIGNATION = JR, J0, J2 ; DELIVERY CONDITION = +AR
Type : W-SHAPES
Size : DESIGNATION (mm X mm X kg/m) = 152 X 152 X 37.1 , 203 X 102 X 15 , 305 X 203 X 60 , 305 X 203 X 67 , 305 X 203 X 74 , 356 X 127 X 32.9 , 356 X 127 X 39



Trade Mark : SYS
Model : Model (s): STEEL NAME : STRUCTURAL STEEL = S355
Rating : QUALITY DESIGNATION = JR, J0 ; DELIVERY CONDITION = +AR
Type : EQUAL ANGLE
Size : DESIGNATION (mm X mm X mm) = 130 X 130 X 10 , 150 X 150 X 10



Trade Mark : SYS
Model : STEEL NAME : STRUCTURAL STEEL = S355
Rating : QUALITY DESIGNATION = JR, J0 ; DELIVERY CONDITION = +AR
Type : EQUAL ANGLE
Size : DESIGNATION (mm X mm X kg/m) = 130 X 130 X 19.7 , 150 X 150 X 23

Trade Mark : SYS
Model : STEEL NAME : STRUCTURAL STEEL = S355
Rating : QUALITY DESIGNATION = JR, J0 ; DELIVERY CONDITION = +AR
Type : EQUAL ANGLE
Size : DESIGNATION (mm X mm X mm X kg/m) = 130 X 130 X 10 X 19.7 , 150 X 150 X 10 X 23

End of page

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Email : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 12 July 2013

Certified Since

Sah Sehingga : 12 July 2026

Valid Until

Tarikh Dikeluarkan : 03 July 2025

Issue Date

No Siri : 113105

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.